



NIEDERL

LecksuchTechnik GmbH

Wiener Straße 60
A-8600 Bruck/Mur
Tel. +43(0)3862-81730
Fax +43(0)3862-81730-99
lecksuche@niederl-mt.at
www.niederl-mt.at



Data creazione modulo: 01.04.2008 - SpKa
Data creazione documento: 27.02.2012 SpKa-FoDa



Certificato UNI-EN-ISO 9001

CROMATECH



Portable gas Chromatograph for the measurement and analysis of odorants

CROMATECH

Code	100018	100019	100014
SENSORS	Cromatech 01	Cromatech 02	Cromatech 03
THT		X	X
TBM (MCP)	X		X

Including all the completion accessories



HUBERG SAS - Huber Günther & C. • Sistemi di Sicurezza Gas e Acqua / Gas and Water Safety Systems
Via Copernico 18 • I-39100 Bolzano • Web: www.huberg.com • E-Mail: huberg@huberg.com • Tel: +39 0471-936011 • Fax: +39 0471-205037
N. Reg. imprese BZ, Cod. fisc. e Part. IVA Register of commerce BZ, tax and VAT no.: IT01279940215






NIEDERL



LecksuchTechnik GmbH

Wiener Straße 60
A-8600 Bruck/Mur
Tel. +43(0)3862-81730
Fax +43(0)3862-81730-99
lecksuche@niederl-mt.at
www.niederl-mt.at

COMPLETION ACCESSORIES

1G2160031	201149	204000	201123
			
Aluminium case for transporting the instrument	Power supply	Charging cable 12V	Calibration tube
204003	204005	425026	
			
Drain tube	Tube for network	Paper roll printer, 5 pieces -price per roll	

OPTIONALS

102000	102016
	
Bluetooth. - allows the operator to use the pc and pda software with the instrument	This option allows the user to save at the same time and continuously, the value of the associated gas at the current position of GPS



NIEDERL

Lecksuchtechnik GmbH


Wiener Straße 60
A-8600 Bruck/Mur
Tel. +43(0)3862-81730
Fax +43(0)3862-81730-99
lecksuche@niederl-mt.at
www.niederl-mt.at

DOCUMENTATION SYSTEMS

**On request we provide detailed information about
DOCUMENTATION SYSTEMS:**

Software available:

- Cromasoft 2.0 Software with one licence



Cable that allows communication between PC
and Cromatech



In order to use the software, you must be in possession of a cable for PC communication and a license.

The photos shown in this offer are indicative.



NIEDERL

LecksuchTechnik GmbH

Wiener Straße 60
A-8600 Bruck/Mur
Tel. +43(0)3862-81730
Fax +43(0)3862-81730-99
lecksuche@niederl-mt.at
www.niederl-mt.at

TECHNICAL INFORMATIONS

	Range	Resolution	Minimum sensitivity
THT	1 ÷ 120 mg/ m3	0,1 mg	1 mg
TBM (MCP)	1 ÷ 120 mg/ m3	0,1 mg	1 mg

ANALYSIS SYSTEM

Analysis time	varies from 60 to 500 seconds depending on:
Gas chromatography column	packed column
Carrier gas	Environment air
Sensor type	electrochemical cell

SOFTWARE

External computer	PC, state of the art
Operating systems	Microsoft® Windows 2000® or Windows XP®
Instrument software for download	CROMASOFT, production HUBERG

CALIBRATION

Maintenance	every 12 months at HUBERG or a service point authorized by HUBERG
-------------	---

POWER SUPPLY AND AUTONOMY

Power supply (with Huberg power supply)	<input type="checkbox"/> 220 V~ connector <input type="checkbox"/> rechargeable Pb batteries (2x6V, 9Ah) <input type="checkbox"/> 12 V vehicle connector
Autonomy with internal batteries	min. 3 - 4 hours, depending on use

GENERAL TECHNICAL DATA

Environmental conditions in use	temperatures: -25 ÷ 50°C , atmospheric moisture: < 95%
Environmental conditions in storage	temperatures: -40 ÷ 60°C , atmospheric moisture: < 95%
Dimensions (L x H x W)	364 x 147 x 313 mm
Weight	From 12 Kg